

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims.

LISTING OF CLAIMS:

Claims 1-39. Cancelled.

Claim 40. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')² fragment, which recognizes a 150 kDA *T. equigenitalis* protein.

Claim 41. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')² fragment according to claim 40, in combination with at least one antibody or Fv, Fab or F(ab')² fragment thereof which recognize *T. equigenitalis* proteins selected from the group consisting of *T. equigenitalis* proteins of 120 kDA, 52.7 kDA and 22 (LPS) kDA.

Claim 42. (Previously Presented) An isolated monoclonal antibody obtained by a process comprising:

fusing non-secreting murine myeloma cells with spleen cells
from mice immunized against an inactivated strain of the
species *T. equigenitalis* or extract(s) of such a strain,
cloning and selecting according to the capacity of their culture
supernatant to recognize a 150 kDA *T. equigenitalis*
protein,
recovering the required monoclonal antibody, and
optionally purifying said monoclonal antibody.

Claim 43. (Previously Presented) A method of obtaining a monoclonal antibody according to claim 40, comprising:

fusing non-secreting murine myeloma cells with spleen cells
from mice immunized by means of a strain of the species
T. equigenitalis or extract(s) from such a strain,
screening hybridomas whose culture supernatants exhibit a
positive reaction with a 150 kDA *T. equigenitalis* protein
or a fragment thereof,
selecting by cloning the hybridomas with respect to their
reactivity, in relation to *T. equigenitalis*,
recovering the monoclonal antibody, and
optionally purifying said monoclonal antibody.

Claim 44. (Previously Presented) A strain of hybridoma, which secretes a monoclonal antibody according to claim 40.

Claim 45. (Currently Amended) A method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

bringing the specimen or the culture to be analyzed, which may contain *T. equigenitalis*, into contact with an effective quantity of a monoclonal antibody or Fv, Fab or F(ab')² fragment thereof according to claim 40, under conditions permitting a reaction of the antigen-antibody type, and detecting any antigen/antibody type reaction product formed
~~product formed in a reaction of the antigen-antibody type,~~
wherein said product is indicative of the presence of a bacterium of the species *T. equigenitalis*.

Claim 46. (Currently Amended) A method of diagnosis of an infection by *Taylorella equigenitalis* (*T. equigenitalis*) comprising:

- (a) bringing a monoclonal antibody or fragment thereof according to claim 40, into contact with a biological sample, wherein said sample may contain *T. equigenitalis* antigen, under conditions permitting an antigen-antibody reaction, and
- (b) detecting any antigen/antibody type reaction product formed
~~product formed in a reaction of the antigen-antibody type~~

in said sample between the antibody or fragment of (a)
and a *T. equigenitalis* antigen,
wherein said product is indicative of a diagnosis for *T. equigenitalis*
infection.

Claim 47. (Previously Presented) The method according to claim 45, further
comprising blocking the non antigen-antibody reactions.

Claim 48. (Previously Presented) A kit for application of a method of
identification of a bacterium of the species *Taylorella equigenitalis*
(*T. equigenitalis*) in a specimen or in a culture comprising:
a monoclonal antibody or fragment according to claim 40,
a reagent for detecting the intended immunologic reaction,
optionally, a reagent for blocking the non antigen-antibody
reactions, and
instructions for use.

Claim 49. Cancelled.

Claim 50. (Previously Presented) A kit according to claim 48, wherein said
reagent for carrying out the intended immunologic reaction is selected
from the group consisting of markers and buffers.

- Claim 51. (Previously Presented) A kit according to claim 48, wherein a reagent for blocking the non antigenic-antibody reaction is included and said reagent is mouse serum.
- Claim 52. (Previously Presented) The method according to claim 47, wherein the non antigen-antibody reaction is blocked by saturation of the specimen obtained by means of a serum from which anti-*T. equigenitalis* antibodies have been removed.
- Claim 53. (Previously Presented) The method according to claim 46, further comprising blocking the non antigen-antibody reactions.
- Claim 54. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')² fragment according to claim 40, in combination with antibodies or Fv, Fab or F(ab')² fragments thereof which recognize *T. equigenitalis* proteins of 120 kDA, 52.7 kDA and 22 (LPS) kDA.
- Claim 55. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')² fragment according to claim 40, in combination with an antibody or Fv, Fab or F(ab')² fragment thereof which recognizes a 120 kDA *T. equigenitalis* protein.

- Claim 56. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')² fragment according to claim 40, in combination with an antibody or Fv, Fab or F(ab')² fragment thereof which recognizes a 52.7 kDA *T. equigenitalis* protein.
- Claim 57. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')² fragment according to claim 40, in combination with an antibody or Fv, Fab or F(ab')² fragment thereof which recognizes a 22 (LPS) kDA *T. equigenitalis* protein.
- Claim 58. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')² fragment according to claim 42, in combination with at least one antibody or Fv, Fab or F(ab')² fragment thereof which recognizes a *T. equigenitalis* protein selected from the group consisting of *T. equigenitalis* proteins of 120 kDA, 52.7 kDA and 22 (LPS) kDA.
- Claim 59. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')² fragment according to claim 42, in combination with antibodies or Fv, Fab or F(ab')² fragments thereof which recognize *T. equigenitalis* proteins of 120 kDA, 52.7 kDA and 22 (LPS) kDA.

Claim 60. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')² fragment according to claim 42, in combination with an antibody or Fv, Fab or F(ab')² fragment thereof which recognizes a 120 kDA *T. equigenitalis* protein.

Claim 61. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')² fragment according to claim 42, in combination with an antibody or Fv, Fab or F(ab')² fragment thereof which recognizes a 52.7 kDA *T. equigenitalis* protein.

Claim 62. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')² fragment according to claim 42, in combination with an antibody or Fv, Fab or F(ab')² fragment thereof which recognizes a 22 (LPS) kDA *T. equigenitalis* protein.

Claim 63. (Previously Presented) A strain of hybridoma, which secretes the monoclonal antibody according to claim 42.

Claim 64. (Currently Amended) A method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

bringing the specimen or the culture to be analyzed, which may contain *T. equigenitalis*, into contact with an effective

quantity of the monoclonal antibodies or Fv, Fab or F(ab')² fragments thereof according to claim 41, under conditions permitting a reaction of the antigen-antibody type, and

detecting any antigen/antibody type reaction product formed
~~product formed in a reaction of the antigen-antibody type,~~
wherein said product is indicative of the presence of a bacterium of the species *T. equigenitalis*.

Claim 65. (Currently Amended) A method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

bringing the specimen or the culture to be analyzed, which may contain *T. equigenitalis*, into contact with an effective quantity of the monoclonal antibody or Fv, Fab or F(ab')² fragment thereof according to claim 42, under conditions permitting a reaction of the antigen-antibody type, and
detecting any antigen/antibody type reaction product formed
~~product formed in a reaction of the antigen-antibody type,~~
wherein said product is indicative of the presence of a bacterium of the species *T. equigenitalis*.

Claim 66. (Currently Amended) A method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

bringing the specimen or the culture to be analyzed, which may contain *T. equigenitalis*, into contact with an effective quantity of the monoclonal antibodies or Fv, Fab or F(ab')² fragments thereof according to claim 54, under conditions permitting a reaction of the antigen-antibody type, and

detecting any antigen/antibody type reaction product formed

~~product formed in a reaction of the antigen-antibody type,~~

wherein said product is indicative of the presence of a bacterium of the species *T. equigenitalis*.

Claim 67. (Currently Amended) A method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

bringing the specimen or the culture to be analyzed, which may contain *T. equigenitalis*, into contact with an effective quantity of the monoclonal antibodies or Fv, Fab or F(ab')² fragments thereof according to claim 58, under conditions permitting a reaction of the antigen-antibody type, and

detecting any antigen/antibody type reaction product formed
~~product formed in a reaction of the antigen-antibody type,~~
wherein said product is indicative of the presence of a bacterium of the
species *T. equigenitalis*.

Claim 68. (Currently Amended) A method of identification of a bacterium of the
species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a
culture comprising:

bringing the specimen or the culture to be analyzed, which may
contain *T. equigenitalis*, into contact with an effective
quantity of the monoclonal antibodies or Fv, Fab or
F(ab')² fragments thereof according to claim 59, under
conditions permitting a reaction of the antigen-antibody
type, and

detecting any antigen/antibody type reaction product formed
~~product formed in a reaction of the antigen-antibody type,~~
wherein said product is indicative of the presence of a bacterium of the
species *T. equigenitalis*.

Claim 69. (Currently Amended) A method of diagnosis of an infection by
Taylorella equigenitalis (*T. equigenitalis*) comprising:

(a) bringing a monoclonal antibody or fragment thereof
according to claim 41; into contact with a biological

sample, wherein said sample may contain *T. equigenitalis* antigen, under conditions permitting an antigen-antibody reaction, and

- (b) detecting any antigen/antibody type reaction product formed
~~product formed in a reaction of the antigen-antibody type~~
in said sample between the antibody or fragment of (a)
and a *T. equigenitalis* antigen,

wherein said product is indicative of a diagnosis for *T. equigenitalis* infection.

Claim 70. (Currently Amended) A method of diagnosis of an infection by *Taylorella equigenitalis* (*T. equigenitalis*) comprising:

- (a) bringing a monoclonal antibody or fragment thereof
according to claim 42, into contact with a biological
sample, wherein said sample may contain *T. equigenitalis*
antigen, under conditions permitting an antigen-antibody
reaction, and
- (b) detecting any antigen/antibody type reaction product formed
~~product formed in a reaction of the antigen-antibody type~~
in said sample between the antibody or fragment of (a)
and a *T. equigenitalis* antigen,

wherein said product is indicative of a diagnosis for *T. equigenitalis* infection.

Claim 71. (Currently Amended) A method of diagnosis of an infection by *Taylorella equigenitalis* (*T. equigenitalis*) comprising:

- (a) bringing a monoclonal antibody or fragment thereof according to claim 54, into contact with a biological sample, wherein said sample may contain *T. equigenitalis* antigen, under conditions permitting an antigen-antibody reaction, and
- (b) detecting any antigen/antibody type reaction product formed ~~product formed in a reaction of the antigen-antibody type~~ in said sample between the antibody or fragment of (a) and a *T. equigenitalis* antigen,

wherein said product is indicative of a diagnosis for *T. equigenitalis* infection.

Claim 72. (Currently Amended) A method of diagnosis of an infection by *Taylorella equigenitalis* (*T. equigenitalis*) comprising:

- (a) bringing a monoclonal antibody or fragment thereof according to claim 58, into contact with a biological sample, wherein said sample may contain *T. equigenitalis* antigen, under conditions permitting an antigen-antibody reaction, and

- (b) detecting any antigen/antibody type reaction product formed
~~product formed in a reaction of the antigen-antibody type~~
in said sample between the antibody or fragment of (a)
and a *T. equigenitalis* antigen,

wherein said product is indicative of a diagnosis for *T. equigenitalis*
infection.

Claim 73. (Currently Amended) A method of diagnosis of an infection by
Taylorella equigenitalis (*T. equigenitalis*) comprising:

- (a) bringing a monoclonal antibody or fragment thereof
according to claim 59, into contact with a biological
sample, wherein said sample may contain *T. equigenitalis*
antigen, under conditions permitting an antigen-antibody
reaction, and
(b) detecting any antigen/antibody type reaction product formed
~~product formed in a reaction of the antigen-antibody type~~
in said sample between the antibody or fragment of (a)
and a *T. equigenitalis* antigen,

wherein said product is indicative of a diagnosis for *T. equigenitalis*
infection.

- Claim 74. (Currently Amended) A kit for application of a method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:
the a monoclonal antibody or fragment ~~antibodies or fragments~~
according to claim 41,
reagents for detecting the intended immunologic reaction,
optionally, reagents for blocking the non antigen-antibody
reactions, and
instructions for use.
- Claim 75. (Previously Presented) A kit for application of a method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:
a monoclonal antibody or fragment according to claim 42,
reagents for detecting the intended immunologic reaction,
optionally, reagents for blocking the non antigen-antibody
reactions, and
instructions for use.
- Claim 76. (Currently Amended) A kit for application of a method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:
the a monoclonal antibody or fragment ~~antibodies or fragments~~
according to claim 54,
reagents for detecting the intended immunologic reaction,

optionally, reagents for blocking the non antigen-antibody
reactions, and
instructions for use.

Claim 77. (Currently Amended) A kit for application of a method of
identification of a bacterium of the species *Taylorella equigenitalis*
(*T. equigenitalis*) in a specimen or in a culture comprising:
~~the a monoclonal antibody or fragment antibodies or fragments~~
according to claim 58,
reagents for detecting the intended immunologic reaction,
optionally, reagents for blocking the non antigen-antibody
reactions, and
instructions for use.

Claim 78. (Currently Amended) A kit for application of a method of
identification of a bacterium of the species *Taylorella equigenitalis*
(*T. equigenitalis*) in a specimen or in a culture comprising:
~~the a monoclonal antibody or fragment antibodies or fragments~~
according to claim 59,
reagents, for detecting the intended immunologic reaction,
optionally, reagents for blocking the non antigen-antibody
reactions, and
instructions for use.

Claims 79-83 Cancelled.